

NewLook International, Inc. Concrete Maintenance Sealer <100voc™



NEWLOOK

Material Safety Data Sheet

Section 1 PRODUCT & COMPANY IDENTIFICATION

Product Name: Concrete Maintenance Sealer VOC<100 Gloss/Matte™
Manufacturer's Name: NewLook International, Inc.
Manufacturer's Address: 1525 South Gladiola Street, Suite 8, Salt Lake City, UT 84104
Information Phone: NewLook International, Inc. 877.763.9566 or 801.886.9495
Emergency Contact: For Emergency information, contact Chemtel, Inc. at 800.255.3924, Outside the USA at 813.248.0585

Section 2 HAZARDOUS INGREDIENTS

* This chemical is a hazardous substance as defined by CERCLA 40 CFR PART 302-4

CHEMICAL NAME	CAS NUMBER	WEIGHT %	OSHA PEL	VAPOR (mm/hg)	PRESSURE @ TEMP
2,2,4-Trimethyl-1, 3-Pentenediolmono[Sobutyrate]	25265-77-4	<5.0%	Not Established	1.0	20°C
Ammonium Hydroxide*	1336-21-6	<0.5%	18 mg / m3 TLV / 25 PPM ACGIH	0.0	20°C

Section 3 PHYSICAL DATA

Boiling Range: >200°F
Evaporation Rate: Slower than Ether
Vapor Density: Lighter than Air
% Volatile Volume: 76.28 Wt/Gal: 8.57
VOC: UNDER 100 G/L

Section 4 FIRE & EXPLOSION HAZARD DATA

Flammability Classification:
Flash Point: >200°F
Lower Explosive Limit: 0.6
Extinguishing Media: Alcohol Foam, CO₂, Dry Chemical, Water Fog
Unusual Fire and Explosion Hazards:
Closed containers may burst if exposed to extreme heat or fire.
Special Firefighting Procedures:
Water may be used to cool and protect exposed containers.

Section 5 HEALTH & HAZARD DATA

Effects of Overexposure:
Inhalation: Light-headedness, dizziness, symptoms similar to alcohol inebriation. High concentrations can have narcotic effect.
Eye Contact: Severe eye irritation and dermatitis.
Skin Contact: Can dry and deft skin, causing cracks, irritation, and dermatitis.
Ingestion: Can cause gastrointestinal irritation, vomiting, nausea, and diarrhea.
Medical Conditions Proven to Aggravate by Exposure:
Asthma, bronchitis, dermatitis.
Primary Routes of Entry: Dermal, Inhalation, Ingestion

©2011 NewLook International, Inc. All Rights Reserved

www.getNewLook.com □ 1525 South Gladiola Street, Suite 8, Salt Lake City, UT 84104 □ 877.763.9566 □ Office: 801.886.9495 □ Fax: 801.886.9497

Emergency and First Aid Procedure:

Inhalation Over-exposure: Move person to fresh air. If breathing stops, apply artificial respirator and seek immediate medical attention.

Eye Contact: Flush with large quantities of water for 15 minutes and get immediate medical attention.

Skin Contact: Wash thoroughly with soap and water.

Ingestion: For ingestion, if conscious, give plenty of water to drink, induce vomiting.

Section 6**REACTIVITY DATA**

Stability:	Stable
Hazardous Polymerization:	Will Not Occur.
Hazardous Decomposition Products:	Carbon Monoxide, Carbon Dioxide.
Conditions to Avoid:	Elevated temperatures, contact with Oxidizing agent.
Incompatibility (Materials to Avoid):	Oxidizing agents.

Section 7**SPILL OR LEAK PROCEDURES**

Steps to be taken if material is released or spilled:	Absorb with Absorbent Sweeping Compound and Dispose.
Waste Disposal Method:	Dispose in accordance with Federal, State, and Local Environmental Regulations.

Section 8**SAFE HANDLING AND USE INFORMATION**

Respiratory Protection:	Not required under normal use. When spraying use NIOSH approved respirator.
Ventilation:	Use ventilation as required to control vapor concentrations.
Protective Gloves:	Chemical resistant rubber or plastic.
Eye Protection:	Safety shield, goggles, or glasses
Other Protective Equipment:	Not required under normal use.
Hygienic Practices:	Wear protective gloves and glasses. Wash hands thoroughly after use.

Section 9**PRECAUTIONS**

Precautions to be taken in handling and storing:
Store indoors in a cool, dry place. Avoid moisture contamination.

Other Precautions:

- Wash hands thoroughly after use and before eating or smoking.
- Avoid prolonged breathing of vapors.
- Use with adequate ventilation.
- Avoid contact with skin and clothing.
- If contact occurs, wash affected areas thoroughly with soap and water.